



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61K 7/027, 7/48	A1	(11) International Publication Number: WO 97/25960 (43) International Publication Date: 24 July 1997 (24.07.97)
(21) International Application Number: PCT/US97/00083 (22) International Filing Date: 6 January 1997 (06.01.97) (30) Priority Data: 60/009,936 16 January 1996 (16.01.96) US 60/015,487 15 April 1996 (15.04.96) US (71) Applicant: THE PROCTER & GAMBLE COMPANY [US/US]; One Procter & Gamble Plaza, Cincinnati, OH 45202 (US). (72) Inventors: WALLING, David, William; 2 Andrews Court, Parkton, MD 21120 (US). WUJEK, Steven, Michael; 1205 Dulwich Lane, Bel Air, MD 21014 (US). LEVINE, Felicia; 1717 Chesterfield, Bel Air, MD 21015 (US). COLEMAN- NALLY, Debra, Joy; 2090 Lily Drive, Finksburg, MD 21048 (US). (74) Agents: REED, T., David et al.; The Procter & Gamble Company, 5299 Spring Grove Avenue, Cincinnati, OH 45217 (US).		(81) Designated States: AU, CA, CN, CZ, JP, MX, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: TRANSFER-RESISTANT LIP COMPOSITIONS (57) Abstract The present invention relates to stable lip compositions which resist transfer upon subjecting the wearer to routine or daily activities. Said compositions in the form of a lipstick contain a sufficiently high level of silicone oils to impart good feel upon application. Said sticks are additionally formulated to resist breakage even when exposed to the rigors of manufacture, retail sale, and daily use by the consumer.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

TRANSFER-RESISTANT LIP COMPOSITIONS

TECHNICAL FIELD

The present invention relates to stable lip compositions which resists transfer upon subjecting the wearer to routine or daily activities. Said compositions in the form of a lipstick, contain a sufficiently high level of silicone oils to impart good feel upon application. Said sticks are additionally formulated to resist breakage even when subjected to the rigors of manufacture, retail sale, and daily use by the consumer.

CROSS REFERENCE

This application claims priority under Title 35, United States Code 119(e) from Provisional Application Serial No. 60/009,936, filed 1/16/96 and Provisional Application Serial No. 60/015,487, filed 4/15/96.

BACKGROUND OF THE INVENTION

Lip treatment products whose primary purpose is to extend wear, improve the blot transfer resistance and heighten the gloss of said lipstick are well known in the art. Some of these products such as overcoats utilize a variety of polymeric fluids and film forming technologies to form a barrier layer that avoids transference of the lipstick it is applied over. Examples of such compositions are disclosed in Japanese Patent Application Number HEI 5[1993]-221829, published August 31, 1993 and copending U. S. Serial Number 08/361,246, filed December 21, 1994; both incorporated herein by reference. Although said overcoat products can be effective in preventing inadvertent transfer onto objects, they do require separate application over the pigmented lip composition applied to the lips. It is, therefore, advantageous to provide a transfer resistant product that applied in a single step.

European Patent Application 0 602 905 A2, published June 22, 1994, discloses lip stick compositions comprising volatile solvents, waxes, powders oils, and a silicone resin which resists transfer without the use of an overcoat as disclosed above. These compositions, however, rely on the combination of the volatile solvent and silicone resin which is reported to mitigate the transference problems associated with conventional lipsticks.

SUMMARY OF THE INVENTION

The present invention is a lip composition applied in a single step which resists transfer. Said compositions achieve this by combining materials routinely used in the cosmetic industry. By the selection of these components in the specific levels disclosed herein, transference is minimized while the wearer goes about their daily activities including eating and drinking.

Another object of the present invention is to provide a composition having desirable application and feel characteristics as well as improve luster and shine of the composition once applied to the lips.

Still another object of the present invention is to provide a lipstick composition that resists breakage even when exposed to the rigors of manufacture, retail sale, and daily use by the consumer.

A last objective of the present invention is to provide processing steps to manufacture compositions disclosed herein.

The composition of the present invention can take a number of forms often associated with lip composition, including solid sticks, creams and balms. Unless otherwise indicated, all percentages disclosed herein are by total weight of the composition.

DETAILED DESCRIPTION OF THE INVENTION

The present composition comprises lipophilic materials selected from the group consisting of waxes, oils. These materials comprises from about 30% to about 95%, preferably from about 50% to about 85%, and most preferably from about 50% to about 60% of the composition.

Waxes act as solidifying agents thereby assisting in forming solid structures such as "bullet" shaped lipsticks. Waxes as used herein are defined as organic compounds or mixtures of high molecular weight substances, that are thermoplastic, forming a solid mass at ambient temperature/room temperature. As used herein wax refers to single type of wax or mixtures of waxes.

Said waxes include hydrocarbons or esters of fatty acids and fatty alcohols and are derived from natural, synthetic and mineral sources. Natural waxes can be of animal origin, such as beeswax, spermaceti, lanolin, shellac wax, of vegetable origin, e.g. carnauba, candelilla, bay berry, sugarcane wax, or of mineral origin, e.g. ozokerite, ceresin, montan, paraffin, microcrystalline wax, petroleum and petrolatum wax.

Synthetic waxes include those disclosed in Warth, Chemistry and Technology of Waxes, Part 2, 1956, Reinhold Publishing; herein incorporated by reference. The waxes most useful herein have melting points from about 55°C to about 115°C and are selected from the C₈ to C₅₀ hydrocarbon waxes. Such waxes include long chained polymers of ethylene oxide combined with a dihydric alcohol, namely polyoxyethylene glycol. Such waxes include carbowax available from Carbide and Carbon Chemicals company. Other synthetic waxes include long-chained polymers of ethylene with OH or other stop length grouping at end of chain. Such waxes

include the Fischer-Tropsch waxes as disclosed in the text disclosed above at pages 465-469 and include Rosswax, available from Ross company and PT-0602 available from Astor Wax Company.

The waxes preferred for use in the present compositions are selected from the group consisting of candelilla, beeswax, beeswax having free fatty acids removed (modified beeswax), carnauba, spermaceti, montan, ozokerite, ceresin, paraffin, bayberry, castor waxes, synthetic waxes, microcrystalline waxes, silicone waxes (modified to be compatible with other first materials) and mixtures thereof. More preferably the waxes are selected from the group consisting of microcrystalline, spermaceti, candelilla, modified beeswax, carnauba, ozokerite, paraffin, ceresin, silicone waxes, Fischer-Tropsch waxes, Carbowaxes and mixtures thereof. Most preferably, the waxes are selected from the group consisting of candelilla, ozokerite, paraffin, carnauba wax, Fischer-Tropsch waxes and mixtures thereof.

Oils used in the present invention have a number of functional purposes, for example application, adhesion, gloss and perhaps most importantly occlusive moisturization. Said oils include organic substances that are liquid at ambient temperature and include esters, triglycerides, hydrocarbons, silicones and mixtures thereof. Specific oils useful in the present invention include caprylic triglycerides; capric triglycerides; isostearic triglycerides; adipic triglycerides; wheat germ oil; hydrogenated vegetable oils; petrolatum; branched-chain hydrocarbons; alcohols and esters; castor oil; lanolin oil; corn oil; cottonseed oil; olive oil; palm kernel oil; rapeseed oil; safflower oil; jojoba oil; evening primrose oil; avocado oil; mineral oil; sheabutter; octylpalmitate; maleated soybean oil; glycerol trioctanoate; diisopropyl dimerate; isocetyl citrate; volatile and non-volatile silicone oils including dimethicone, phenyl dimethicone, cyclomethicone, poly(perfluoroalkyl) siloxanes, linear and cyclic polyalkyl siloxanes and mixtures thereof. Preferable oils used in the present invention are selected from the group consisting of caprylic triglycerides, capric triglycerides, isostearic triglyceride, castor oil, adipic triglyceride, diisopropyl dimerate, dimethicone, octyl dodecanol, oleyl alcohol, hydrogenated vegetable oils, maleated soybean oil, lanolin oil, polybutene, oleyl alcohol; hexadecyl alcohol wheat germ glycerides and mixtures thereof. The individual oils or the aggregate of the oils selected should be soluble with the liquefied waxes selected for use herein. Therefore, oils have a solubility parameter from about 5 to about 10. The respective solubility parameters for waxes and oils are reported in "Cosmetics & Toiletries", Vol 103, October 1988; incorporated herein by reference.

Oils useful in present invention include emollients, humectants, occlusives and mixtures thereof. Emollients useful in the present invention are found in The


C.T.F.A. Cosmetic Ingredient Handbook, pages 572-575, 1992; herein incorporated by reference. Said emollients include lanolin, synthetic lanolin derivatives, modified lanolins, isopropyl palmitate, isononyl isononanoate, isopropyl isostearate, cetyl ricinoleate, octyl palmitate, cetyl ricinoleate, glyceryl trioctanoate, diisopropyl dimerate, propylene glycol, polyglycerol esters, myristyl acetate, isopropyl myristate, diethyl sebacate; diisopropyl adipate; tocopheryl acetate; tocopheryl linoleate; hexadecyl stearate; ethyl lactate; cetyl lactate, cetyl oleate, octyl hydroxystearate; octyl dodecanol, decyl oleate, propylene glycol ricinoleate, isopropyl lanolate, pentaerythrityl tetrastearate, neopentylglycol dicaprylate/dicaprate, hydrogenated coco-glycerides, isotridecyl isononanoate, isononyl isononanoate, myristal myristate, triisocetyl citrate, cetyl alcohol, octyl dodecanol, oleyl alcohol and mixtures thereof. Particularly useful emollients are selected from the group consisting of lanolin, diisopropyl dimerate, polyglycerol esters, isopropyl isostearate, cetyl lactate, octyl hydroxystearate and mixtures thereof.

Humectants useful in the present invention include those as disclosed in The C.T.F.A. Cosmetic Ingredient Handbook, page 567, 1992; herein incorporated by reference. Occulsives useful in the present invention are likewise found in the C.T.F.A. Cosmetic Ingredient Handbook, at pages 578-580; herein incorporated by reference.

Other oils useful in the present invention include volatile fluids. These fluids improve the ease of application of the composition over the lips. As the volatile fluid escapes from the composition after application, the composition's viscosity increases rapidly, imparting a pleasant, lubricious feel to the lips. Said volatile fluids are selected from the group consisting of volatile hydrocarbons, volatile silicones and mixtures thereof. Compositions of the present invention may comprise from about 1% to 70%, preferably 10% to 60%, and most preferably from 20% to 50% volatile fluids. Preferred volatile hydrocarbons fluids include isododecane, available as for example Permethyl 99A from Permethyl Corporation corresponding to the formula:




Preferred volatile silicone fluids include cyclomethicones having 3, 4 and 5 membered ring structures corresponding to the formula:



where X is from about 3 to about 6. Said volatile silicones include 244 Fluid, 344 Fluid and 345 Fluid from Dow Corning Corporation.

Other silicone fluids useful in the present invention include poly(organosiloxane) fluids conforming to the formula:



wherein the end groups R_1 and R_6 are independently selected from the group consisting of hydroxyl groups, lower alkyl groups having carbon chain lengths from about C_1 to about C_6 and mixtures thereof, preferably methyl groups and the non-end groups R_2 , R_3 , R_4 and R_5 are independently selected from methyl groups, fluoroalkyl groups, phenyl groups and mixtures thereof.


The poly(organosiloxane) fluids with non-end groups (R_2 , R_3 , R_4 and R_5) comprising methyl groups are known in the art and provide the final product with a relatively non-lipohilic character. Commercially available non-volatile silicone fluids having such non-end groups include those available from Dow Corning as the 200 Fluids, and those available from General Electric as SF-96 Series.

Silicone fluids with non-end groups comprising fluoroalkyl groups are also useful herein. It is preferable, however, that the fluorine atom is attached to alkyl groups having a C_3 to C_8 chain length wherein the fluorine atom is attached to said alkyl group at a point no closer than third carbon atoms from the silicone/carbon bond. Commercially available non-volatile silicone fluids having such non-end groups include those available from Dow Corning as the 1265 Fluid series, and those available from General Electric as the SF- 1153 Series, most preferred is the 1265 Fluid Series, most preferably those of having a viscosity from about 100cSt to about 350cSt.

Silicone fluids with the non-end groups comprising allyl groups are also useful in the present invention. The allyl groups which are particularly useful in the present invention are phenyl groups. Particularly useful allyl-substituted silicone fluids commercially available are available as the 556 Series from Dow Corning.

Preferable poly(organosiloxane) fluids of the present invention are selected from the group consisting of poly(dimethylsiloxane) fluids, poly(phenylmethylsiloxane) fluids, poly(fluoro-alkylmethylsiloxane) fluids, the copolymers of said fluids and mixtures thereof. More preferred fluids are selected from the group consisting of poly(dimethylsiloxane) fluids, their copolymers and mixtures thereof. Most preferred are poly(dimethylsiloxane) fluids and their copolymers, preferably selected from the group consisting of dimethicone, phenyl dimethicone, phenyl trimethicone and mixtures thereof.

Non-silicone fluids also useful as a second material of the present invention include perfluoropolyethers of general formula:



wherein R^1 through R^5 are selected from the group consisting of fluorine atoms, perfluoroalkyl groups, oxyperfluoroalkyl groups and mixtures thereof, the value of p , q , and r collectively are of a value such that the perfluoropolyether molecular weight is from about 500 to about 10,000 wherein p , q and r may be equal. A preferred perfluoropolyether is the commercially available product known as Fomblin HC-01, -02, -03 and -04, HC-25 and HC-R available from Montefluosu of Milano, Italy. Non-volatile perfluoropolyethers are preferred.

C. Optional Ingredients

Compositions of the present invention further include optional ingredients which may be added to the composition disclosed above to provide various consumer desirable characteristics to the product. Said optional ingredients include those routinely used in the cosmetic arts to produce a specific cosmetic effect which is deemed desirable.

Surfactants may be used in the present invention insofar as they do not sufficiently stabilize the second material dispersed within the first material or allowing said second material to coalesce upon application to the lips. Surfactants are well known to those skilled in the art of lipstick making in order to enhance dispersability of pigments and other solid materials like mica and talc, stabilize liquid dispersed phases such as water, glycerine and glycols, provide skin benefits such as emolliency, and skin feel modifiers; i.e. the right combination can make the stick less hard. Anionic surfactants, nonionic surfactants, cationic surfactants, amphoteric surfactants and mixtures thereof are suitable for use. The more common surfactants used in the present invention include those found in the C.T.F.A. Cosmetic Ingredient Handbook, pages 587-592, 1992; herein incorporated by reference. Some of the more commonly used ones include ethoxylated castor oil, lecithin, fatty acids and salts of fatty acids (sodium stearate, stearic acid, oleic acid, potassium stearate, zinc stearate), fatty alcohols (oleyl alcohol, e.g.), ascorbyl palmitate, oxidized waxes, mono and diglycerides (glyceryl oleate), lauroyl lysine, cetyl lactate and mixtures thereof.

In addition to surfactants other ingredients such as preservatives, sunscreens, UV absorbers, anti-oxidants, flavorings, perfumes, colorants, dyes and other ingredients routinely used in the art. In the case of dyes and colorants which are

incorporated into the first material, it is important that the first and second materials are sufficiently incompatible to avoid tinting or coloring the second material.

EXAMPLES

Example 1:

<u>Ingredient</u>	<u>Weight Percent (%)</u>
Synthetic Wax ¹	9.4
Ozokerite	3.0
Paraffin	7.6
Diisostearate Dimerate	16.7
Polyglycerol - 3 Diisostearate	3.0
Propyl Paraben	0.1
Mixed Tocopherol	0.2
Pigments/Pearls	12.5
Cyclomethicone ²	17.5
Cyclomethicone ³	25.0
Isoparaffin ⁴	5.0

1. available from Astor Wax as PT-0602.
2. available from Dow Corning as Dow 244.
3. available from Dow Corning as Dow 345.
4. available from the Permethyl Company as Permethyl 99A.

Example 2:

<u>Ingredient</u>	<u>Weight Percent (%)</u>
Synthetic Wax ¹	11.0
Ozokerite	3.0
Paraffin	5.0
Diisostearate Dimerate	17.7
Polyglycerol - 3 Diisostearate	3.0
Propyl Paraben	0.1
Mixed Tocopherol	0.2
Pigments/Pearls	12.5
Cyclomethicone ²	6.5
Cyclomethicone ³	30.0
Isoparaffin ⁴	11.0

1. available from Astor Wax as PT-0602.
2. available from Dow Corning as Dow 244.
3. available from Dow Corning as Dow 345.
4. available from the Permethyl Company as Permethyl 99A.

Example 3:

<u>Ingredient</u>	<u>Weight Percent (%)</u>
Synthetic Wax ¹	5.0
Ozokerite	14.0
Diisostearate Dimerate	17.7
Polyglycerol - 3 Diisostearate	3.0
Propyl Paraben	0.1
Mixed Tocopherol	0.2
Pigments/Pearls	10.0
Cyclomethicone ²	3.0
Cyclomethicone ³	35.0
Isoparaffin ⁴	12.0

1. available from Ross Company as Rosswax 100.
2. available from Dow Corning as Dow 244.
3. available from Dow Corning as Dow 345.
4. available from the Permethyl Company as Permethyl 99A.

Example 4:

<u>Ingredient</u>	<u>Weight Percent (%)</u>
Synthetic Wax ¹	4.0
Ozokerite	14.0
Diisostearate Dimerate	19.2
Polyglycerol - 3 Diisostearate	3.0
Propyl Paraben	0.1
Mixed Tocopherol	0.2
Pigments/Pearls	12.0
Cyclomethicone ²	6.0
Cyclomethicone ³	35.0
Isoparaffin ⁴	6.5

1. available from Ross Company as Rosswax 100.
2. available from Dow Corning as Dow 244.
3. available from Dow Corning as Dow 345.
4. available from the Permethyl Company as Permethyl 99A.

Example 5:

<u>Ingredient</u>	<u>Weight Percent (%)</u>
Synthetic Wax ¹	4.0
Ozokerite	14.0
Paraffin Wax	2.0

Triisocetyl Citrate	19.1
Propyl Paraben	0.1
Mixed Tocopherol	0.2
Pigments/Pearls	10.1
Cyclomethicone ²	25.5
Cyclomethicone ³	20.0
Isoparaffin ⁴	5.0

1. available from Ross Company as Rosswax 100.
2. available from Dow Corning as Dow 244.
3. available from Dow Corning as Dow 345.
4. available from the Permethyl Company as Permethyl 99A.

Example 6:

<u>Ingredient</u>	<u>Weight Percent (%)</u>
Synthetic Wax ¹	11.0
Ozokerite	3.0
Paraffin	5.0
Diisopropyl Dimer Dilinoleate	17.7
Polyglycerol - 3 Diisostearate	3.0
Propyl Paraben	0.1
Tocopherol	0.2
Pigments/Pearls	9.7
Stainer	0.3
Cyclomethicone ²	6.5
Cyclomethicone ³	35.0
Isoparaffin ⁴	8.5

1. available from Astor Wax as PT-0602.
2. available from Dow Corning as Dow 244.
3. available from Dow Corning as Dow 345.
4. available from the Permethyl Company as Permethyl 99A.

Method of Manufacture

Examples 1-5 are assembled according to the following instructions:


Combine the pigments and a sufficient amount of the primary liquid emollient (diisopropyl dimerate, triisocetyl citrate etc.) in a vessel with stirring until the pigments are fully incorporated into the liquid (usually about a 40% pigment/ 60% liquid mixture). Pass the mixture through a 3-roll mill three times yielding a dispersion of pigment particles in oil; hereinafter referred to as the slurry.

Combine all non-volatile ingredients (waxes, oils, slurry, pearls, preservatives etc.) in a sealed vessel equipped with heating and mixing. With continuous mixing, heat the combination until all waxes are completely melted (between 90 and 115°C). While maintaining the temperature, stir the combination of ingredients for about 30 minutes.


Add the volatile liquids (cyclomethicone and isoparaffin) into the melted wax/oil/pigment mixture. Quickly seal the vessel, resume agitation and return the mixture to the full melt temperature. Once melt temperature is reached stir mixture for approximately an additional 10 minutes. Pour the combination immediately into a room temperature aluminum bullet mold. Cool the filled mold either in a freezer or on a chill table until the combination is solid. Remove the solid composition from the molds and place in suitable cosmetic packaging.

What is claimed is:

1. A transfer-resistant lipstick composition comprising:
 - a. from 30% to 95%, preferably 50% to 85% and most preferably 50% to 60% lipophilic materials selected from the group consisting of waxes, oils and mixtures thereof; and
 - b. from 1% to 70%, preferably from 10% to 60%, and most preferably from 20% to 50% of a volatile fluid selected from the group consisting of volatile hydrocarbons, volatile silicones and mixtures thereof.
2. The lipstick composition according to claim 1 wherein the waxes are selected from the group consisting of candelilla, beeswax, beeswax having free fatty acids removed, carnauba, spermaceti, montan, ozokerite, ceresin, paraffin, bayberry, castor waxes, synthetic waxes, microcrystalline waxes, silicone waxes and mixtures thereof, preferably selected from the group consisting of microcrystalline, spermaceti, candelilla, modified beeswax, carnauba, ozokerite, paraffin, ceresin, silicone waxes, Fischer-Tropsch waxes, Carbowaxes and mixtures thereof and most preferably selected from the group consisting of candelilla, ozokerite, paraffin, carnauba wax, Fischer-Tropsch waxes and mixtures thereof.
3. The lipstick composition according to claims 3 wherein the volatile fluid is a hydrocarbon is corresponding to the formula:



4. The lipstick composition according to claim 3 wherein the volatile silicone is cyclomethicone having 3,4 and 5 membered ring structures corresponding to the formula:



where X is from 3 to 6.

5. A transfer resistant lipstick composition comprising:
 - a. 20% wax;
 - b. 42.5% cyclomethicone
 - c. 12.2% pigments, pearls and mixtures thereof;
 - d. 0.3% stainers; and
 - e. 3.0% humectant.

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/US 97/00083

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 A61K7/027 A61K7/48

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 602 905 A (REVLON CONSUMER PRODUCTS) 22 June 1994 cited in the application see claims 1-4,19 see page 3, line 26-31 see example 1 ---	1-5
X	US 5 288 482 A (D.G.KRZYSIK) 22 February 1994 see claims 1,3-5,9 see column 2, line 15-64 ---	1,2
X	WO 95 11000 A (PROCTER & GAMBLE) 27 April 1995 see claims 1,2 see page 7, line 25 - page 8, line 7 --- -/--	1,2

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- *&* document member of the same patent family

Date of the actual completion of the international search

25 April 1997

Date of mailing of the international search report

15.05.97

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+ 31-70) 340-3016

Authorized officer

Peeters, J

INTERNATIONAL SEARCH REPORT

International Application No

PLT/US 97/00083

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	EP 0 692 238 A (LABORATOIRE DE BIOLOGIE VEGETALE YVES ROCHER) 17 January 1996 see claims 1-4,6 see page 2, line 38 - page 3, line 33 ---	1,2,4,5
P,X	EP 0 709 083 A (REVLON CONSUMER PRODUCTS) 1 May 1996 see claims 1,3,4,18,19 see page 2, line 36 - page 4, line 24 ---	1,3-5
P,X	WO 96 40044 A (PROCTER & GAMBLE) 19 December 1996 see claims 1,2,5-9 see page 2, line 11-33 ---	1,2,4,5
P,X	EP 0 706 789 A (L'OREAL) 17 April 1996 see claims 1-6,9,12 see page 4, line 4-40 -----	1,2,4,5

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 97/00083

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 602905 A	22-06-94	AU 662447 B	31-08-95
		AU 4870393 A	30-06-94
		BR 9304975 A	26-07-94
		CA 2107253 A	16-06-94
		DE 602905 T	28-09-95
		ES 2070804 T	16-06-95
		JP 6199630 A	19-07-94
		US 5505937 A	09-04-96
		ZA 9308092 A	07-06-94

US 5288482 A	22-02-94	EP 0614658 A	14-09-94
		JP 6298623 A	25-10-94

WO 9511000 A	27-04-95	AU 8014994 A	08-05-95
		CN 1135171 A	06-11-96
		CZ 9601107 A	14-08-96
		EP 0725620 A	14-08-96

EP 692238 A	17-01-96	FR 2722403 A	19-01-96

EP 709083 A	01-05-96	AU 3439195 A	09-05-96
		CA 2161285 A	26-04-96
		CN 1127631 A	31-07-96
		FI 955048 A	26-04-96
		FR 2726467 A	10-05-96
		GB 2294392 A	01-05-96
		JP 8239316 A	17-09-96
		NO 954201 A	26-04-96
		NZ 280302 A	20-12-96
		ZA 9509024 A	06-08-96

WO 9640044 A	19-12-96	NONE	

EP 706789 A	17-04-96	FR 2725366 A	12-04-96

THIS PAGE BLANK (USPTO)